## **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: Hera GmbH & Co KG

Supplier's address: FE, Dieselstraße 9, 32130 Enger Herford, DE

Model identifier: LED Eco-Tape 600 LED 40W

## Type of light source:

Lighting technology used:	LED	Non-directional or directional:	NDLS
Light source cap-type	nein		
(or other electric interface)			
Mains or non-mains:	NMLS	Connected light source (CLS):	No
Colour-tuneable light source:	No	Envelope:	-
High luminance light source:	No		
Anti-glare shield:	No	Dimmable:	Only with spe- cific dimmers


**Product parameters** 

## Parameter Parameter Value Value **General product parameters:** Energy consumption in on-44 Energy efficiency F mode (kWh/1000 h), rounded class up to the nearest integer Useful luminous flux (duse), in-4 680 in Wide Correlated colour 5 0 0 0 dicating if it refers to the flux in cone (120°) temperature, a sphere (360°), in a wide cone rounded to the nearest 100 K, or the (120°) or in a narrow cone (90°) range of correlated colour temperatures, rounded to the nearest 100 K, that can be set 40,0 0,00 On-mode power (P<sub>on</sub>), Standby power (P<sub>sb</sub>), expressed in W expressed in W and rounded to the second decimal Colour rendering in-80 Networked standby power (P<sub>net</sub>) for CLS, expressed in W dex, rounded to the and rounded to the second decnearest integer, or the range of CRI-valimal ues that can be set 5 000 Outer dimen-Spectral power dis-See image Height sions without tribution in the in last page Width 8 separate conrange 250 nm to 800 2 Depth trol gear, lightnm, at full-load

ing control parts and non- lighting con- trol parts, if any (millime- tre) Claim of equivalent pow	ver <sup>(a)</sup>		lf yes, equivalent	_		
			power (W)			
			Chromaticity coordi-	0,340		
			nates (x and y)	0,353		
Parameters for LED and OLED light sources:						
R9 colour rendering ind	ex value	0	Survival factor	0,00		
the lumen maintenance	e factor	0,00				
(2)			,,			

(a)'-' : not applicable;

(b)<sub>'-'</sub> : not applicable;



Wavelength(nm)

Model placed on the Union market from 17/06/2021



EPREL registration number: 766325Supplier: Hera GmbH & Co KG (Manufacturer)Customer care service:Name: FE

Email: rohs@hera-online.de

Address: Dieselstraße 9 32130 Enger Germany https://eprel.ec.europa.eu/qr/766325

Website: www.hera-online.de

Website: www.hera-online.de

Phone: 05224911309