Product Information Sheet


COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light

commission delegated Regulation (EU) 2019/2015 with regard to energy labelling of light sources						
Supplier's name or trade mark: SIGOR						
Supplier's address: SIGOR Licht GmbH, Eichenhofer Weg 81, 42279 Wuppertal, DE						
Model identifier: 4041801						
Type of light source:						
Lighting technology used:		LED	Non-directional or directional:	DLS		
Light source cap-type		wire				
(or other electri	ic interface)					
Mains or non-mains:		NMLS	Connected light source (CLS):	No		
Colour-tuneable light source:		No	Envelope:	-		
High luminance light source:		No				
Anti-glare shield:		Yes	Dimmable:	Only with spe- cific dimmers		
Product parameters						
Parameter		Value	Parameter	Value		
General product parameters:						
Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer		36	Energy efficiency class	F		
Useful luminous flux (фuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)		3 600 in Wide cone (120°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	4 000		
On-mode power (P _{on}), expressed in W		36,0	Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal	0,00		
Networked standby power (P _{net}) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set	80		
Outer dimen-	Height	27	Spectral power dis-	See image		
sions without	Width	620	tribution in the	in last page		
separate con- trol gear, light-	Depth	620	range 250 nm to 800 nm, at full-load			

ing control parts and non- lighting con- trol parts, if any (millime- tre)						
Claim of equivalent power ^(a)	-	If yes, equivalent power (W)	-			
		Chromaticity coordi-	0,341			
		nates (x and y)	0,354			
Parameters for directional light sources:						
Peak luminous intensity (cd)	1 170	Beam angle in degrees, or the range of beam angles that can be set	85			
Parameters for LED and OLED light sources:						
R9 colour rendering index value	80	Survival factor	0,90			
the lumen maintenance factor	0,80					

(a)_{'-'} : not applicable;

(b)_{'-'} : not applicable;



Model placed on the Union market from 01/07/2017



EPREL registration number: 780433 https://eprel.ec.europa.eu/qr/780433

Supplier: SIGOR Licht GmbH (Manufacturer) Website:

Customer care service:

Name: SIGOR Licht GmbH Website: https://shop.sigor.de/

Email: qm@sigor.de Phone: 02339 12610

Address:

Eichenhofer Weg 81 42279 Wuppertal

Germany