## **Product Information Sheet**

trol gear, light-

control

ing


COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

sources	LLLOATED REGOT	-A11014 (E0) 2013/2	ots with regard to energ	gy labelling of light		
Supplier's name	or trade mark:	Lucide				
Supplier's address: Lucide NV, Bisschoppenhoflaan 145, 2100 Deurne, BE						
Model identifie	r: 49029-01-31					
Type of light so	urce:					
Lighting technology used:		LED	Non-directional or directional:	NDLS		
Light source cap-type		G4				
(or other electri	c interface)					
Mains or non-mains:		NMLS	Connected light source (CLS):	No		
Colour-tuneable light source:		No	Envelope:	-		
High luminance light source:		No				
Anti-glare shield:		No	Dimmable:	No		
		Product para	meters			
Parameter		Value	Parameter	Value		
General product parameters:						
Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer		2	Energy efficiency class	F		
Useful luminous flux (φuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)		150 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	2 700		
On-mode power (P <sub>on</sub> ), expressed in W		1,5	Standby power (P <sub>sb</sub> ), expressed in W and rounded to the sec- ond decimal	0,00		
Networked standby power (P <sub>net</sub> ) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set	80		
Outer dimen-	Height	39	Spectral power dis-	See image		
sions without	Width	10	tribution in the	in last page		
separate con-	Depth	10	range 250 nm to 800			

nm, at full-load

parts and non- lighting con- trol parts, if any (millime- tre)						
Claim of equivalent power <sup>(a)</sup>	Yes	If yes, equivalent power (W)	15			
		Chromaticity coordi-	0,442			
		nates (x and y)	0,402			
Parameters for LED and OLED light sources:						
R9 colour rendering index value	16	Survival factor	0,90			
the lumen maintenance factor	0,93					

(a)'-': not applicable; (b)'-': not applicable;



Model placed on the Union market from 02/05/2017



EPREL registration number: 781743 https://eprel.ec.europa.eu/qr/781743

Supplier: Lucide (Manufacturer) Website: www.lucide.be

**Customer care service:** 

Name: Lucide NV Website:

Email: info@lucide.com Phone: +32 3 366 22 04

Address:

Bisschoppenhoflaan 145

2100 Deurne Belgium