# **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

#### Supplier's name or trade mark: Robus

Supplier's address: Reception, Nangor Road, Dublin 12, Ireland

### Model identifier: RRE1040-LS

## Type of light source:


Lighting technology used:	LED	Non-directional or directional:	DLS		
Light source cap-type	85mA				
(or other electric interface)					
Mains or non-mains:	NMLS	Connected light source (CLS):	No		
Colour-tuneable light source:	No	Envelope:	-		
High luminance light source:	No				
Anti-glare shield:	No	Dimmable:	No		
Product parameters					

Froduct parameters						
Parameter		Value	Parameter	Value		
General product parameters:						
Energy consur mode (kWh/10 up to the neares	00 h), rounded	9	Energy efficiency class	E		
dicating if it refe a sphere (360°)	s flux (φuse), in- ers to the flux in , in a wide cone rrow cone (90º)	1 050 in Wide cone (120°)	Correlated colour temperature, rounded to the near- est 100 K, or the range of correlat- ed colour temper- atures, rounded to the nearest 100 K, that can be set	4 000		
On-mode pow pressed in W	ver (P <sub>on</sub> ), ex-	9,0	Standby power (P <sub>sb</sub> ), expressed in W and rounded to the sec- ond decimal	0,22		
(P <sub>net</sub> ) for CLS, e	andby power expressed in W the second dec-	-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	80		
Outer dimen-	Height	60	Spectral power dis-	See image		
sions without separate con- trol gear, light- ing control	Width Depth	50 2	tribution in the range 250 nm to 800 nm, at full-load	in last page		

-	If yes, equivalent power (W)	-
	Chromaticity coordi- nates (x and y)	0,373 0,374
sources:		
370	Beam angle in de- grees, or the range of beam angles that can be set	120
ht sources:		
9	Survival factor	0,00
0,00		
	370 ht sources: 9	power (W) Chromaticity coordi- nates (x and y) sources: 370 Beam angle in de- grees, or the range of beam angles that can be set ht sources: 9 Survival factor

(a)'-' : not applicable;

(b)'-' : not applicable;



Model placed on the Union market from 28/03/2022



**EPREL registration number:** 787821

Supplier: LED Group (Manufacturer)

### **Customer care service:**

Name: Reception

Email: info@robus.com

Address: Nangor Road, Dublin 12, Ireland https://eprel.ec.europa.eu/qr/787821 Website: https://robus.com/

Website:

Phone: +353 1 709 9000