## **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light

sources	ELEGATED REGUI	-AIION (EU) 2019/2	015 with regard to ener	gy labelling of light	
Supplier's name	e or trade mark:	Colors by Halo Desi	gn		
Supplier's address: Energimærkning, Gammelgårdsvej 85, 3520 Farum, DK					
Model identifie	r: 935512				
Type of light so	urce:				
Lighting technology used:		LED	Non-directional or directional:	NDLS	
Light source cap-type		<b>G</b> 9			
(or other electri	ic interface)				
Mains or non-mains:		NMLS	Connected light source (CLS):	No	
Colour-tuneable light source:		No	Envelope:	-	
High luminance light source:		No			
Anti-glare shield:		No	Dimmable:	No	
Product parameters					
Parameter		Value	Parameter	Value	
		General product p	T	I	
Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer		2	Energy efficiency class	F	
Useful luminous flux (фuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)		200 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	2 700	
On-mode power (P <sub>on</sub> ), expressed in W		2,0	Standby power (P <sub>sb</sub> ), expressed in W and rounded to the sec- ond decimal	0,00	
Networked standby power (P <sub>net</sub> ) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	80	
Outer dimen-	Height	60	Spectral power dis-	See image	
sions without	Width	18	tribution in the range 250 nm to 800	in last page	
separate con- trol gear, light- ing control	Depth	18	nm, at full-load		

parts and non- lighting con- trol parts, if any (millime- tre)						
Claim of equivalent power <sup>(a)</sup>	-	If yes, equivalent power (W)	-			
		Chromaticity coordi-	0,459			
		nates (x and y)	0,410			
Parameters for LED and OLED light sources:						
R9 colour rendering index value	90	Survival factor	-			
the lumen maintenance factor	-					

(a)'-': not applicable; (b)'-': not applicable;

## Model placed on the Union market from 02/12/2020



**EPREL registration number:** 796200 https://eprel.ec.europa.eu/qr/796200

Supplier: Halo Design Aps (Importer) Website: www.halodesign.dk

**Customer care service:** 

Name: Energimærkning Website: www.halodesign.dk

Email: mw@halodesign.dk Phone: 21820051

Address:

Gammelgårdsvej 85

3520 Farum Denmark