## **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

<b>Supplier's name or trade mark:</b>	<b>ROTALIANA SRL</b>
---------------------------------------	----------------------

Supplier's address: ROTALIANA SRL, VIA TRENTO 115-117, 38017 MEZZOLOMBARDO TN, IT

**Model identifier:** 4005.0218.0101

Type of light source:	Type	of light	source:
-----------------------	------	----------	---------


Lighting technology used:	LED	Non-directional or directional:	NDLS
Light source cap-type (or other electric interface)	SOLDER WIRES- BOARD TO BOARD CONNEC- TORS- POKE IN		
	CONNECTORS		
Mains or non-mains:	NMLS	Connected light source (CLS):	No
Colour-tuneable light source:	No	Envelope:	-
High luminance light source:	No		
Anti-glare shield:	No	Dimmable:	Yes
Product parameters			

Product parameters				
Parameter		Value	Parameter	Value
		General product p	arameters:	
Energy consur mode (kWh/10 up to the neare	00 h), rounded	9	Energy efficiency class	Е
dicating if it refe a sphere (360º)	s flux (фuse), in- ers to the flux in , in a wide cone errow cone (90º)	1 100 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	3 000
On-mode pow pressed in W	ver (P <sub>on</sub> ), ex-	9,0	Standby power (P <sub>sb</sub> ), expressed in W and rounded to the sec- ond decimal	0,00
(P <sub>net</sub> ) for CLS, 6	candby power expressed in W the second dec-	-	Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set	80
Outer dimen- sions without	Height Width	5 148	Spectral power distribution in the	See image in last page

separate control gear, lighting control parts and nonlighting control parts, if any (millimetre)	Depth	44	range 250 nm to 800 nm, at full-load	
Claim of equival	ent power <sup>(a)</sup>	Yes	If yes, equivalent power (W)	77
			Chromaticity coordi-	0,434
			nates (x and y)	0,403
Parameters for LED and OLED light sources:				
R9 colour rende	ring index value	16	Survival factor	1,00
the lumen main	tenance factor	0,97		

(a)<sub>'-'</sub> : not applicable;

(b)'-' : not applicable;



Model placed on the Union market from 17/06/2018



**EPREL registration number:** 800468 https://eprel.ec.europa.eu/qr/800468

**Supplier:** ROTALIANA SRL (Manufacturer) **Website:** 

**Customer care service:** 

Name: ROTALIANA SRL Website: WWW.ROTALIANA.IT

Email: INFO@ROTALIANA.IT Phone: +390461602376

Address:

VIA TRENTO 115-117 38017 MEZZOLOMBARDO

Italy