## **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

## Supplier's name or trade mark: Occhio GmbH

Supplier's address: Productmanagement, Occhio GmbH Wiener Platz 7 81667 München

Model identifier: Mito soffitto 20 pro

## Type of light source:

		· · · · · · · · · · · · · · · · · · ·	
Lighting technology used:	LED	Non-directional or directional:	DLS
Light source cap-type	n.a.		
(or other electric interface)			
Mains or non-mains:	NMLS	Connected light source (CLS):	No
Colour-tuneable light source:	No	Envelope:	-
High luminance light source:	No		
Anti-glare shield:	No	Dimmable:	Only with spe- cific dimmers


**Product parameters** 

Parameter		Value	Parameter	Value		
General product parameters:						
0,	nption in on- 00 h), rounded st integer	20	Energy efficiency class	G		
dicating if it refe a sphere (360°)	s flux (фuse), in- ers to the flux in , in a wide cone nrrow cone (90º)	815 in Nar- row cone (90°)	Correlated colour temperature, rounded to the near- est 100 K, or the range of correlat- ed colour temper- atures, rounded to the nearest 100 K, that can be set	2 700 or 3 000 or 4 000		
On-mode pow pressed in W	ver (P <sub>on</sub> ), ex-	20,0	Standby power (P <sub>sb</sub> ), expressed in W and rounded to the sec- ond decimal	0,00		
( $P_{net}$ ) for CLS, e	andby power expressed in W the second dec-	-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	95		
Outer dimen-	Height	30	Spectral power dis-	See image		
sions without	Width	205	tribution in the	in last page		
separate con- trol gear, light-	Depth	205	range 250 nm to 800 nm, at full-load			

ing control parts and non- lighting con- trol parts, if any (millime- tre)						
Claim of equivalent power <sup>(a)</sup>	_	If yes, equivalent power (W)	-			
		Chromaticity coordi- nates (x and y)	0,380 0,380			
Parameters for directional light sources:						
Peak luminous intensity (cd)	753	Beam angle in de- grees, or the range of beam angles that can be set	80			
Parameters for LED and OLED light sources:						
R9 colour rendering index value	80	Survival factor	-			
the lumen maintenance factor	-					
(a), to not condicable.						

(a)'-' : not applicable;

(b)'-' : not applicable;



Model placed on the Union market from 01/09/2021



EPREL registration number: 817803

Supplier: Occhio GmbH (Manufacturer)

## Customer care service:

Name: Productmanagement

Email: info@occhio.com

Address: Occhio GmbH Wiener Platz 7 81667 München https://eprel.ec.europa.eu/qr/817803

Website:

Website:

Phone: +49 894477860