Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or tra-	de mark:	UMAGE
-------------------------	----------	-------

Supplier's address: UMAGE ApS, Havnegade 29, 1058 Copenhagen, DK

Model identifier: 2231 (light-source)

and rounded to the second dec-

Type of light source:			
Lighting technology used:	LED	Non-directional or directional:	NDLS
Light source cap-type	LED Spot		
(or other electric interface)	1,3W 0,4A		
Mains or non-mains:	NMLS	Connected light source (CLS):	No
Colour-tuneable light source:	No	Envelope:	-
High luminance light source:	No		
Anti-glare shield:	No	Dimmable:	No
Product parameters			
Parameter	Value	Parameter	Value
General product parameters:			
Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer	2	Energy efficiency class	F
Useful luminous flux (фuse), indicating if it refers to the flux in	125 in Sphere (360°)	Correlated colour temperature,	3 000


up to the hearest integer			
Useful luminous flux (φuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)	125 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	3 000
On-mode power (P _{on}), expressed in W	1,3	Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal	0,00
Networked standby power (P _{net}) for CLS, expressed in W	-	Colour rendering in- dex, rounded to the	82

imal			the range of CRI-val- ues that can be set	
Outer dimen-	Height	23	Spectral power dis-	See image
sions without	VVIGCII	23	tribution in the	in last page
separate con- trol gear, light- ing control	Depth	19	range 250 nm to 800 nm, at full-load	

nearest integer, or

parts and non- lighting con- trol parts, if any (millime- tre)			
Claim of equivalent power ^(a)	-	If yes, equivalent power (W)	-
		Chromaticity coordi-	0,444
		nates (x and y)	0,414
Parameters for LED and OLED light sources:			
R9 colour rendering index value	3	Survival factor	1,00
the lumen maintenance factor	0,96		

(a)'-': not applicable; (b)'-': not applicable;



Model placed on the Union market from 09/03/2020



EPREL registration number: 843866 https://eprel.ec.europa.eu/qr/843866

Supplier: UMAGE ApS (Manufacturer) Website: www.umage.com

Customer care service:

Name: UMAGE ApS Website: www.umage.com

Email: info@umage.com **Phone:** +45 31 39 31 31

Address:

Havnegade 29 1058 Copenhagen

Denmark