## **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: Tridonic GmbH & Co KG
Supplier's address: Global Technical Sales, Faerbergasse 15, 6851 Dornbirn, AT

Model identifier: 28003675


Type	of I	light	source	е:
IVDC	<b>U</b> I I	115111	30410	

, , , , , , , , , , , , , , , , , , ,				
Lighting technology used:	LED	Non-directional or directional:	NDLS	
Light source cap-type	None			
(or other electric interface)				
Mains or non-mains:	NMLS	Connected light source (CLS):	No	
Colour-tuneable light source:	No	Envelope:	-	
High luminance light source:	No			
Anti-glare shield:	No	Dimmable:	Yes	
Product parameters				
Parameter	Value	Parameter	Value	

		i rodact parar		I
Parameter		Value	Parameter	Value
General product parameters:				
<u> </u>	mption in on- 00 h), rounded st integer	11	Energy efficiency class	F
dicating if it refe a sphere (360º)	s flux (фuse), in- ers to the flux in , in a wide cone arrow cone (90º)	1 230 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	2 700
On-mode pow pressed in W	ver (P <sub>on</sub> ), ex-	10,4	Standby power (P <sub>sb</sub> ), expressed in W and rounded to the sec- ond decimal	0,00
(P <sub>net</sub> ) for CLS, 6	candby power expressed in W the second dec-	-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	90
Outer dimen-	Height	2	Spectral power dis-	See image
sions without	Width	8	tribution in the	in last page
separate con- trol gear, light- ing control	Depth	50 000	range 250 nm to 800 nm, at full-load	

parts and non- lighting con- trol parts, if any (millime- tre)			
Claim of equivalent power <sup>(a)</sup>	-	If yes, equivalent power (W)	-
		Chromaticity coordi-	0,456
		nates (x and y)	0,406
Parameters for LED and OLED light sources:			
R9 colour rendering index value	50	Survival factor	1,00
the lumen maintenance factor	0,96		

(a)'-': not applicable; (b)'-': not applicable;



Model placed on the Union market from 01/09/2021



**EPREL registration number:** 844502 https://eprel.ec.europa.eu/qr/844502

**Supplier:** Tridonic GmbH & Co KG (Manufacturer) **Website:** 

**Customer care service:** 

Name: Global Technical Sales Website:

Email: sales@tridonic.com Phone: +43 5572 3950

Address:

Faerbergasse 15 6851 Dornbirn

Austria