# **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

# Supplier's name or trade mark: Hera GmbH & Co KG

# Supplier's address: FE, Dieselstraße 9, 32130 Enger Herford, DE

### Model identifier: LED RGBW Tape

# Type of light source:

Lighting technology used:	LED	Non-directional or directional:	DLS
Light source cap-type	nein		
(or other electric interface)			
Mains or non-mains:	NMLS	Connected light source (CLS):	No
Colour-tuneable light source:	Yes	Envelope:	-
High luminance light source:	No		
Anti-glare shield:	No	Dimmable:	Only with spe- cific dimmers


**Product parameters** 

#### Parameter Parameter Value Value **General product parameters:** Energy consumption in on-93 Energy efficiency G mode (kWh/1000 h), rounded class up to the nearest integer Useful luminous flux (duse), in-4 312 in Wide Correlated colour 2550...6900 dicating if it refers to the flux in cone (120°) temperature, a sphere (360°), in a wide cone rounded to the near-(120°) or in a narrow cone (90°) est 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set 88,0 Standby power (P<sub>sb</sub>), 0,00 On-mode power (P<sub>on</sub>), expressed in W expressed in W and rounded to the second decimal Colour rendering in-90 Networked standby power (P<sub>net</sub>) for CLS, expressed in W dex, rounded to the nearest integer, or and rounded to the second decthe range of CRI-valimal ues that can be set 5 000 Outer dimen-Spectral power dis-See image Height sions without tribution in the in last page Width 10 separate conrange 250 nm to 800 3 Depth trol gear, lightnm, at full-load

ing control parts and non- lighting con- trol parts, if any (millime- tre)			
Claim of equivalent power <sup>(a)</sup>	-	If yes, equivalent power (W)	-
		Chromaticity coordi- nates (x and y)	0,473 0,414
Parameters for directional light	sources:		
Peak luminous intensity (cd)	1	Beam angle in de- grees, or the range of beam angles that can be set	120
Parameters for LED and OLED lig	ht sources:	- <b>,</b>	
R9 colour rendering index value	0	Survival factor	0,00
the lumen maintenance factor	0,00		
(a), , not applicable.			

(a)'-' : not applicable;

(b)'-' : not applicable;



Model placed on the Union market from 08/06/2021



EPREL registration number: 874058Supplier: Hera GmbH & Co KG (Manufacturer)Customer care service:

Name: FE

Email: rohs@hera-online.de

Address: Dieselstraße 9 32130 Enger Germany https://eprel.ec.europa.eu/qr/874058

Website: www.hera-online.de

Website: www.hera-online.de

Phone: 05224911309