Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: BRUMBERG

Supplier's address: BRUMBERG Leuchten GmbH & Co. KG, BRUMBERG Leuchten GmbH & Co. KG

Hellefelder Straße 63 59846 Sundern (Germany)

Mode	l ic	lentifie	r: 1	5223005
------	------	----------	------	---------

T	- 6	10 - 1- 1		
IVna	α T	IIσnt	source:	,
IVDC	vı	HEILL	Jourte.	

Lighting technology used:	LED	Non-directional or directional:	DLS
Light source cap-type	wired		
(or other electric interface)			
Mains or non-mains:	NMLS	Connected light source (CLS):	No
Colour-tuneable light source:	No	Envelope:	-
High luminance light source:	No		
Anti-glare shield:	No	Dimmable:	Only with spe- cific dimmers


Product parameters

Product parameters					
Parameter		Value	Parameter	Value	
General product parameters:					
	mption in on- 00 h), rounded st integer	80	Energy efficiency class	F	
Useful luminous flux (фuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)		5 800 in Wide cone (120°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	6 300	
On-mode power (P _{on}), ex- pressed in W		72,0	Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal	0,00	
Networked standby power (P _{net}) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	91	
Outer dimen-	Height	3	Spectral power dis-	See image	
sions without	Width	10	tribution in the	in last page	
separate con-	Depth	5 000			

trol gear, lighting control parts and non-lighting control parts, if any (millimetre)		range 250 nm to 800 nm, at full-load		
Claim of equivalent power ^(a)	-	If yes, equivalent power (W)	-	
		Chromaticity coordi-	0,315	
		nates (x and y)	0,330	
Parameters for directional light sources:				
Peak luminous intensity (cd)	1 987	Beam angle in de-	120	
		grees, or the range		
		of beam angles that		
		can be set		
Parameters for LED and OLED light sources:				
R9 colour rendering index value	82	Survival factor	-	
the lumen maintenance factor	-			

(a)_{'-'} : not applicable;

(b)'-': not applicable;



Model placed on the Union market from 19/08/2021



Website: www.brumberg.com

EPREL registration number: 877424 https://eprel.ec.europa.eu/qr/877424

Supplier: Brumberg Leuchten GmbH & Co.KG (Manufact

urer)

Customer care service:

Name: BRUMBERG Leuchten GmbH & Co. KG Website: www.brumberg.com

Email: info@brumberg.com Phone: +49 2934 9611-0

Address:

BRUMBERG Leuchten GmbH & Co. KG

Hellefelder Straße 63 59846 Sundern (Germany)