# **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

## Supplier's name or trade mark: BRUMBERG

**Supplier's address:** BRUMBERG Leuchten GmbH & Co. KG , BRUMBERG Leuchten GmbH & Co. KG Hellefelder Straße 63 59846 Sundern (Germany)

# Model identifier: 15272004

## Type of light source:


Lighting technology used:	LED	Non-directional or directional:	DLS		
Light source cap-type	wired				
(or other electric interface)					
Mains or non-mains:	NMLS	Connected light source (CLS):	No		
Colour-tuneable light source:	No	Envelope:	-		
High luminance light source:	No				
Anti-glare shield:	No	Dimmable:	Only with spe- cific dimmers		
Product parameters					

				T		
Parameter		Value	Parameter	Value		
General product parameters:						
	nption in on- 00 h), rounded st integer	53	Energy efficiency class	F		
dicating if it refe a sphere (360º)	s flux (фuse), in- ers to the flux in , in a wide cone arrow cone (90º)	3 860 in Wide cone (120°)	Correlated colour temperature, rounded to the near- est 100 K, or the range of correlat- ed colour temper- atures, rounded to the nearest 100 K, that can be set	4 000		
On-mode pow pressed in W	ver (P <sub>on</sub> ), ex-	48,0	Standby power (P <sub>sb</sub> ), expressed in W and rounded to the sec- ond decimal	0,00		
(P <sub>net</sub> ) for CLS, e	tandby power expressed in W the second dec-	-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	91		
Outer dimen- sions without separate con-	Height	5	Spectral power dis-	See image		
	Width	11	tribution in the	in last page		
	Depth	5 000		Page 1 /		

trol gear, light- ing control parts and non- lighting con- trol parts, if any (millime- tre)			range 250 nm to 800 nm, at full-load				
Claim of equival	ent power <sup>(a)</sup>	-	If yes, equivalent power (W)	-			
			Chromaticity coordi-	0,381			
			nates (x and y)	0,375			
Parameters for directional light sources:							
Peak luminous intensity (cd)		1 323	Beam angle in de- grees, or the range of beam angles that can be set	120			
Parameters for LED and OLED light sources:							
R9 colour rende	ring index value	69	Survival factor	0,90			
the lumen maintenance factor		0,96					
(a)			1				

(a)'-' : not applicable;

(b)'-' : not applicable;



Model placed on the Union market from 20/08/2021



#### **EPREL registration number:** 880101

**Supplier:** Brumberg Leuchten GmbH & Co.KG (Manufact urer)

#### **Customer care service:**

Name: BRUMBERG Leuchten GmbH & Co. KG

Email: info@brumberg.com

Address: BRUMBERG Leuchten GmbH & Co. KG

Hellefelder Straße 63 59846 Sundern (Germany) https://eprel.ec.europa.eu/qr/880101

Website: www.brumberg.com

# Website: www.brumberg.com

Phone: +49 2934 9611-0