Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: BRUMBERG

Supplier's address: BRUMBERG Leuchten GmbH & Co. KG, BRUMBERG Leuchten GmbH & Co. KG

Hellefelder Straße 63 59846 Sundern (Germany)

Model identifier: 152730	Model i	identifier:	15273003
--------------------------	---------	-------------	----------

_	•		
Typa	Λt	liaht	source:
IVDE	VI.	IIGIIL	source.


Lighting technology used:	LED	Non-directional or directional:	DLS
Light source cap-type	wired		
(or other electric interface)			
Mains or non-mains:	NMLS	Connected light source (CLS):	No
Colour-tuneable light source:	No	Envelope:	-
High luminance light source:	No		
Anti-glare shield:	No	Dimmable:	Only with spe- cific dimmers

Product parameters

Product parameters				
Parameter		Value	Parameter	Value
General product parameters:				
Energy consur mode (kWh/10 up to the neare	00 h), rounded	80	Energy efficiency class	F
dicating if it refe a sphere (360º)	s flux (фuse), ineers to the flux in, in a wide cone arrow cone (90º)	5 800 in Wide cone (120°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	3 000
On-mode pov pressed in W	ver (P _{on}), ex-	72,0	Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal	0,00
(P _{net}) for CLS,	tandby power expressed in W the second dec-	-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	91
Outer dimen-	Height	5	Spectral power dis-	See image
sions without	Width	13	tribution in the	in last page
separate con-	Depth	5 000		Page 1 / <i>A</i>

trol gear, lighting control parts and non-lighting control parts, if any (millimetre)			range 250 nm to 800 nm, at full-load	
Claim of equival	ent power ^(a)	-	If yes, equivalent power (W)	-
			Chromaticity coordi-	0,434
			nates (x and y)	0,403
Parameters for directional light sources:				
Peak luminous intensity (cd)		1 987	Beam angle in de-	120
			grees, or the range	
			of beam angles that	
			can be set	
Parameters for LED and OLED light sources:				
R9 colour rende	ring index value	62	Survival factor	-
the lumen main	tenance factor	-		

(a)'-': not applicable; (b)'-': not applicable;



Model placed on the Union market from 20/08/2021



Website: www.brumberg.com

EPREL registration number: 880174 https://eprel.ec.europa.eu/qr/880174

Supplier: Brumberg Leuchten GmbH & Co.KG (Manufact

urer)

Customer care service:

Name: BRUMBERG Leuchten GmbH & Co. KG Website: www.brumberg.com

Email: info@brumberg.com Phone: +49 2934 9611-0

Address:

BRUMBERG Leuchten GmbH & Co. KG

Hellefelder Straße 63 59846 Sundern (Germany)