## **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark:	UMAGE
--------------------------------	-------

Supplier's address: UMAGE ApS, Havnegade 29, 1058 Copenhagen, DK

Model identifier: 2175 (light-source)

_	•		
Typa	Λt	liaht	source:
IVDE	VI.	IIGIIL	source.


Lighting technology used:	LED	Non-directional or directional:	NDLS	
Light source cap-type (or other electric interface)	Custom LED PCB 19,7V DC 700mA			
Mains or non-mains:	NMLS	Connected light source (CLS):	No	
Colour-tuneable light source:	No	Envelope:	-	
High luminance light source:	No			
Anti-glare shield:	No	Dimmable:	Only with spe- cific dimmers	
Product parameters				

## Product narameters

Product parameters					
Parameter		Value	Parameter	Value	
	General product parameters:				
<u> </u>	mption in on- 00 h), rounded st integer	14	Energy efficiency class	D	
dicating if it refe a sphere (360º)	s flux (φuse), in- ers to the flux in , in a wide cone arrow cone (90º)	2 308 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	3 000	
On-mode pow pressed in W	ver (P <sub>on</sub> ), ex-	13,8	Standby power (P <sub>sb</sub> ), expressed in W and rounded to the sec- ond decimal	0,00	
(P <sub>net</sub> ) for CLS, (	tandby power expressed in W the second dec-	-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	84	
Outer dimen-	Height	410	Spectral power dis-	See image	
sions without	Width	410	tribution in the	in last page	
separate con- trol gear, light-	Depth	1	range 250 nm to 800 nm, at full-load		

ing control parts and non- lighting con- trol parts, if any (millime- tre)			
Claim of equivalent power <sup>(a)</sup>	-	If yes, equivalent power (W)	-
		Chromaticity coordi-	0,437
		nates (x and y)	0,400
Parameters for LED and OLED light sources:			
R9 colour rendering index value	14	Survival factor	0,90
the lumen maintenance factor	0,96		

(a)'-': not applicable; (b)'-': not applicable;



## Model placed on the Union market from 21/01/2019



EPREL registration number: 887448 https://eprel.ec.europa.eu/qr/887448

Supplier: UMAGE ApS (Manufacturer) Website: www.umage.com

**Customer care service:** 

Name: UMAGE ApS Website: www.umage.com

**Email:** info@umage.com **Phone:** +45 31 39 31 31

Address:

Havnegade 29 1058 Copenhagen

Denmark