
Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

sources			io 13 With regard to energ	B) 1400 B o							
Supplier's name or trade mark: IDEAL LUX Supplier's address: IDEAL LUX , Taglio Destro 32, IT Model identifier: FLUO BI-EMISSION 1200 4000K											
							Type of light so	urce:			
							Lighting techno	logy used:	LED	Non-directional or directional:	NDLS
Light source cap-type		MODULE									
(or other electric interface)											
Mains or non-m	nains:	NMLS	Connected light source (CLS):	No							
Colour-tuneable	e light source:	No	Envelope:	-							
High luminance light source:		No									
Anti-glare shield:		No	Dimmable:	Yes							
		Product para		T							
Parameter		Value	Parameter .	Value							
		General product p									
Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer		22	Energy efficiency class	С							
Useful luminous flux (фuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)		4 050 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	4 000							
On-mode power (P _{on}), ex- pressed in W		21,7	Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal	0,00							
Networked standby power (P _{net}) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	80							
Outer dimen-	Height	80	Spectral power dis-	See image							
sions without separate con- trol gear, light- ing control	Width Depth	50 1 200	tribution in the range 250 nm to 800 nm, at full-load	in last page							

parts and non- lighting con- trol parts, if any (millime- tre)						
Claim of equivalent power ^(a)	-	If yes, equivalent power (W)	-			
		Chromaticity coordi-	0,386			
		nates (x and y)	0,379			
Parameters for LED and OLED light sources:						
R9 colour rendering index value	11	Survival factor	0,90			
the lumen maintenance factor	0,96					

(a)'-': not applicable; (b)'-': not applicable;



Model placed on the Union market from 09/04/2018



EPREL registration number: 890297 https://eprel.ec.europa.eu/qr/890297

Supplier: Ideal Lux s.r.l. (Importer) **Website:**

Customer care service:

Name: IDEAL LUX Website:

Email: info@ideal-lux.com Phone: +390415790500

Address:

Taglio Destro 32

Italy