Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's	name or	trade mark:	IDEAL LUX
------------	---------	-------------	-----------

Supplier's address: IDEAL LUX, Taglio Destro 32, IT

Model identifier: FLUO CORNER 3000K

_	•		
Typa	Λt	liaht	source:
IVDE	VI.	IIKIIL	source.

Outer dimen-

sions without

separate con-

trol gear, light-

control

ing

Height

Width

Depth

Lighting technology used:	LED	Non-directional or directional:	NDLS				
Light source cap-type	MODULE						
(or other electric interface)							
Mains or non-mains:	NMLS	Connected light source (CLS):	No				
Colour-tuneable light source:	No	Envelope:	-				
High luminance light source:	No						
Anti-glare shield:	No	Dimmable:	Yes				
	Product para	meters					
Parameter	Value	Parameter	Value				
General product parameters:							
Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer	6	Energy efficiency class	С				
Useful luminous flux (φuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)	950 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	3 000				
On-mode power (P _{on}), ex- pressed in W	5,5	Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal	0,00				
Networked standby power (P _{net}) for CLS, expressed in W and rounded to the second decimal	-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	80				

80

50

150

Spectral power dis-

tribution in the

range 250 nm to 800


nm, at full-load

See image

in last page

parts and non- lighting con- trol parts, if any (millime- tre)						
Claim of equivalent power ^(a)	-	If yes, equivalent power (W)	-			
		Chromaticity coordi-	0,439			
		nates (x and y)	0,406			
Parameters for LED and OLED light sources:						
R9 colour rendering index value	8	Survival factor	0,90			
the lumen maintenance factor	0,96					

(a)'-': not applicable; (b)'-': not applicable;



Model placed on the Union market from 09/04/2018



EPREL registration number: 890373 https://eprel.ec.europa.eu/qr/890373

Supplier: Ideal Lux s.r.l. (Importer) **Website:**

Customer care service:

Name: IDEAL LUX Website:

Email: info@ideal-lux.com Phone: +390415790500

Address:

Taglio Destro 32

Italy