

# Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

**Supplier's name or trade mark:** Westal

**Supplier's address:** Produkt, Fabriksvägen 5, 564 35 Bankeryd, SE

**Model identifier:** 7015338

## Type of light source:

Lighting technology used:	LED	Non-directional or directional:	NDLS
Light source cap-type (or other electric interface)	n/a		
Mains or non-mains:	NMLS	Connected light source (CLS):	No
Colour-tuneable light source:	No	Envelope:	-
High luminance light source:	No		
Anti-glare shield:	No	Dimmable:	Yes

## Product parameters


Parameter	Value	Parameter	Value
<b>General product parameters:</b>			
Energy consumption in on-mode (kWh/1000 h), rounded up to the nearest integer	15	Energy efficiency class	D
Useful luminous flux ( $\phi_{use}$ ), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)	2 350 in Wide cone (120°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	3 000
On-mode power ( $P_{on}$ ), expressed in W	15,0	Standby power ( $P_{sb}$ ), expressed in W and rounded to the second decimal	0,00
Networked standby power ( $P_{net}$ ) for CLS, expressed in W and rounded to the second decimal	-	Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set	80
Outer dimensions without separate control gear, lighting control	Height	298	Spectral power distribution in the range 250 nm to 800 nm, at full-load
	Width	298	
	Depth	40	
			See image in last page

parts and non-lighting control parts, if any (millimetre)			
Claim of equivalent power <sup>(a)</sup>	-	If yes, equivalent power (W)	-
		Chromaticity coordinates (x and y)	0,440 0,403
<b>Parameters for LED and OLED light sources:</b>			
R9 colour rendering index value	5	Survival factor	1,00
the lumen maintenance factor	0,96		

(a) : not applicable;

(b) : not applicable;

## Spectrum



### Colorimetric Parameters

Chromaticity Coordinate:  $x = 0.4396$   $y = 0.4039$  /  $u' = 0.2524$   $v' = 0.5217$  ( $duv = -4.45e-04$ )

CCT = 2953K Prcp WL:  $L_d = 583.2\text{nm}$  Purity = 53.2%

Peak WL:  $L_p = 604\text{nm}$  FWHM: = 118.0nm Ratio: R=23.4% G=73.9% B=2.7%


Render Index:  $R_a = 82.6$  TM30:  $R_f = 84$   $R_g = 95$

R1 = 82 R2 = 93 R3 = 94 R4 = 80 R5 = 82 R6 = 92 R7 = 81

R8 = 57 R9 = 5 R10 = 84 R11 = 80 R12 = 74 R13 = 85 R14 = 97 R15 = 73

CQS Parameters:  $Q_a = 83.9$

Model placed on the Union market from 30/08/2021



**EPREL registration number:** 914262

<https://eprel.ec.europa.eu/qr/914262>

**Supplier:** Westal AB (Importer)

**Website:**

**Customer care service:**

**Name:** Produkt

**Website:** <https://www.westal.se/>

**Email:** [timmy.kantola@westal.se](mailto:timmy.kantola@westal.se)

**Phone:** 0738-26 40 03

**Address:**

Fabriksvägen 5  
564 35 Bankeryd  
Sweden