## **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark:	SLV
Supplier 3 hanne of trade mark.	JLV

Supplier's address:	EPREL-Contact	, Daimlerstraße 21-23	, 52531 Übach-Palenberg,	, DE
---------------------	---------------	-----------------------	--------------------------	------

Model identifier:	LS	2236
-------------------	----	------


_	•		
Typa	Λt	liaht	source:
IVDE	VI.	IIKIIL	source.

Lighting technology used:	LED	Non-directional or directional:	NDLS
Light source cap-type	Unspecified		
(or other electric interface)			
Mains or non-mains:	NMLS	Connected light source (CLS):	No
Colour-tuneable light source:	No	Envelope:	-
High luminance light source:	No		
Anti-glare shield:	No	Dimmable:	No
Product parameters			

Troduct parameters				
Parameter		Value	Parameter	Value
General product parameters:				
<u> </u>	nption in on- 00 h), rounded st integer	10	Energy efficiency class	Е
dicating if it refe a sphere (360º)	s flux (фuse), ineers to the flux in, in a wide cone errow cone (90º)	1 350 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	4 300
On-mode pow pressed in W	ver (P <sub>on</sub> ), ex-	10,1	Standby power (P <sub>sb</sub> ), expressed in W and rounded to the sec- ond decimal	0,00
(P <sub>net</sub> ) for CLS, 6	candby power expressed in W the second dec-	-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	93
Outer dimen-	Height	1	Spectral power dis-	See image
sions without	Width	7	tribution in the	in last page
separate con- trol gear, light- ing control	Depth	528	range 250 nm to 800 nm, at full-load	

parts and non- lighting con- trol parts, if any (millime- tre)			
Claim of equivalent power <sup>(a)</sup>	-	If yes, equivalent power (W)	-
		Chromaticity coordi-	0,370
		nates (x and y)	0,370
Parameters for LED and OLED light sources:			
R9 colour rendering index value	69	Survival factor	1,00
the lumen maintenance factor	0,98		

(a)'-': not applicable; (b)'-': not applicable;



Model placed on the Union market from 01/10/2020



**EPREL registration number:** 916543 https://eprel.ec.europa.eu/qr/916543

Supplier: SLV GmbH (Importer) Website: www.slv.com

**Customer care service:** 

Name: EPREL-Contact Website: www.slv.com

**Email:** eprel@slv.de **Phone:** +49 (2451) 4833 154

Address:

Daimlerstraße 21-23 52531 Übach-Palenberg

Germany