## **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier	's name or trade mark:	SLV
----------	------------------------	-----

Supplier's address: EPREL-Contact, Daimlerstraße 21-23, 52531 Übach-Palenberg, DE

Model identifier: LS 2289

_	•			
Tyna	Ot.	lioht	sour	CD.
IVDC	O.	IIGIIL	30ui	LC.

pressed in W

Outer dimen-

sions without

separate con-

trol gear, light-

control

imal

ing

Networked standby

(P<sub>net</sub>) for CLS, expressed in W

and rounded to the second dec-

Height

Width

Depth

power

4

226

196

Type of light source:			
Lighting technology used:	LED	Non-directional or directional:	NDLS
Light source cap-type	Unspecified		
(or other electric interface)			
Mains or non-mains:	NMLS	Connected light source (CLS):	No
Colour-tuneable light source:	No	Envelope:	-
High luminance light source:	No		
Anti-glare shield:	No	Dimmable:	No
	Product para	meters	
Parameter	Value	Parameter	Value
	General product p	parameters:	
Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer	15	Energy efficiency class	D
Useful luminous flux (φuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)	2 336 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	3 900
On-mode power (P <sub>on</sub> ), ex-	14,6	Standby power (P <sub>sb</sub> ),	0,00

expressed in W and rounded to the sec-

Colour rendering in-

dex, rounded to the

nearest integer, or the range of CRI-val-

ues that can be set

Spectral power dis-

in

ond decimal

tribution

nm, at full-load


83

See image

in last page

parts and non- lighting con- trol parts, if any (millime- tre)							
Claim of equivalent power <sup>(a)</sup>	-	If yes, equivalent power (W)	-				
		Chromaticity coordi-	0,390				
		nates (x and y)	0,390				
Parameters for LED and OLED light sources:							
R9 colour rendering index value	9	Survival factor	1,00				
the lumen maintenance factor	1,00						

(a)'-': not applicable; (b)'-': not applicable;



Model placed on the Union market from 01/03/2020



**EPREL registration number:** 916545 https://eprel.ec.europa.eu/qr/916545

Supplier: SLV GmbH (Importer) Website: www.slv.com

**Customer care service:** 

Name: EPREL-Contact Website: www.slv.com

**Email:** eprel@slv.de **Phone:** +49 (2451) 4833 154

Address:

Daimlerstraße 21-23 52531 Übach-Palenberg

Germany