## **Product Information Sheet**


COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark:	Star Trading		
Supplier's address: Help desk, S	tar Street 1, 51250	Svenljunga, SE	
Model identifier: 367-14			
Type of light source:			
Lighting technology used:	LED	Non-directional or directional:	NDLS
Light source cap-type	Fixed		
(or other electric interface)			
Mains or non-mains:	NMLS	Connected light source (CLS):	No
Colour-tuneable light source:	No	Envelope:	-
High luminance light source:	No		
Anti-glare shield:	No	Dimmable:	No
	Product para	meters	
Parameter	Value	Parameter	Value
	General product p	parameters:	
Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer	4	Energy efficiency class	G
Useful luminous flux (фuse), indicating if it refers to the flux in	270 in Sphere (360°)	Correlated colour temperature,	4 000

up to the neares	**		Class	
dicating if it refe a sphere (360º)	s flux (фuse), in- ers to the flux in , in a wide cone arrow cone (90º)	270 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	4 000
On-mode pow pressed in W	ver (P <sub>on</sub> ), ex-	4,0	Standby power (P <sub>sb</sub> ), expressed in W and rounded to the sec- ond decimal	0,00
(P <sub>net</sub> ) for CLS, 6	andby power expressed in W the second dec-	-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	80
Outer dimen-	Height	100	Spectral power dis-	See image
sions without	Width	300	tribution in the	in last page
separate con- trol gear, light- ing control	Depth	8	range 250 nm to 800 nm, at full-load	
				Page 1 / 4

parts and non- lighting con- trol parts, if any (millime- tre)						
Claim of equivalent power <sup>(a)</sup>	-	If yes, equivalent power (W)	-			
		Chromaticity coordi-	0,380			
		nates (x and y)	0,380			
Parameters for LED and OLED light sources:						
R9 colour rendering index value	15	Survival factor	0,90			
the lumen maintenance factor	0,96					

(a)'-': not applicable; (b)'-': not applicable;



Model placed on the Union market from 03/01/2019



**EPREL registration number:** 936340 <a href="https://eprel.ec.europa.eu/qr/936340">https://eprel.ec.europa.eu/qr/936340</a>

Supplier: Star Trading i Svenljunga AB (Manufacturer) Website: www.startrading.com

**Customer care service:** 

Name: Help desk Website: www.startrading.com

Email: kundtjanst@startrading.com Phone: +4632512000

Address: Star Street 1 51250 Svenljunga

Sweden