
Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light

commission Delegated Regulation (EU) 2019/2015 with regard to energy labelling of light sources					
Supplier's name or trade mark: SLV					
Supplier's address: EPREL-Contact, Daimlerstraße 21-23, 52531 Übach-Palenberg, DE					
Model identifier: LS_2227					
Type of light source:					
Lighting technology used:	LED	Non-directional or directional:	DLS		
Light source cap-type	Unspecified				
(or other electric interface)					
Mains or non-mains:	NMLS	Connected light source (CLS):	No		
Colour-tuneable light source:	No	Envelope:	-		
High luminance light source:	No				
Anti-glare shield:	No	Dimmable:	No		
Product parameters					
Parameter	Value	Parameter	Value		
	General product p				
Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer	1	Energy efficiency class	G		
Useful luminous flux (φuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)	67 in Narrow cone (90°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	3 000		
On-mode power (P _{on}), expressed in W	1,0	Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal	0,00		
Networked standby power (P _{net}) for CLS, expressed in W and rounded to the second decimal	-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	91		
Outer dimen- Height	4	Spectral power dis-	See image		
sions without Width	20	tribution in the range 250 nm to 800	in last page		
separate con- trol gear, light- ing control	20	nm, at full-load			

parts and non- lighting con- trol parts, if any (millime- tre)				
Claim of equivalent power ^(a)	-	If yes, equivalent power (W)	-	
		Chromaticity coordi-	0,440	
		nates (x and y)	0,410	
Parameters for directional light sources:				
Peak luminous intensity (cd)	55	Beam angle in degrees, or the range of beam angles that can be set	80	
Parameters for LED and OLED light sources:				
R9 colour rendering index value	52	Survival factor	1,00	
the lumen maintenance factor	0,96			

(a)'-': not applicable; (b)'-': not applicable;



Model placed on the Union market from 01/10/2007



EPREL registration number: 954799 https://eprel.ec.europa.eu/qr/954799

Supplier: SLV GmbH (Importer) Website: www.slv.com

Customer care service:

Name: EPREL-Contact Website: www.slv.com

Email: eprel@slv.de **Phone:** +49 (2451) 4833 154

Address:

Daimlerstraße 21-23 52531 Übach-Palenberg

Germany