## **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

**Supplier's name or trade mark:** CITIZEN ELECTRONICS CO., LTD.

Supplier's address: EU sales office, Stephanstraße 3, 60313 Frankfurt am Main, DE

Model identifier: CLU02J-1204C9-272H5U2


I V DC OI IISIIL JOUI CC	Type	of lig	tht s	ource:
--------------------------	------	--------	-------	--------

ing control

Lighting technology used:		LED	Non-directional or directional:	NDLS
Light source cap	Light source cap-type			
(or other electri	c interface)			
Mains or non-mains:		NMLS	Connected light source (CLS):	No
Colour-tuneable light source:		No	Envelope:	-
High luminance light source:		No		
Anti-glare shield:		No	Dimmable:	Yes
		Product para	meters	
Parameter		Value	Parameter	Value
		General product p	parameters:	
Energy consur mode (kWh/10 up to the neares	00 h), rounded	12	Energy efficiency class	E
dicating if it refe a sphere (360º)	s flux (фuse), in- ers to the flux in , in a wide cone errow cone (90º)	1 479 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	2 700
On-mode power (P <sub>on</sub> ), ex- pressed in W		12,0	Standby power (P <sub>sb</sub> ), expressed in W and rounded to the sec- ond decimal	0,00
Networked standby power (P <sub>net</sub> ) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	93
Outer dimen-	Height	14	Spectral power dis-	See image
sions without	Width	14	tribution in the	in last page
separate con- trol gear, light-	Depth	2	range 250 nm to 800 nm, at full-load	

parts and non- lighting con- trol parts, if any (millime- tre)						
Claim of equivalent power <sup>(a)</sup>	-	If yes, equivalent power (W)	-			
		Chromaticity coordi-	0,458			
		nates (x and y)	0,410			
Parameters for LED and OLED light sources:						
R9 colour rendering index value	50	Survival factor	1,00			
the lumen maintenance factor	0,96					

(a)'-': not applicable; (b)'-': not applicable;



Wave length [nm]

Model placed on the Union market from 22/09/2021



**EPREL registration number:** 961707 https://eprel.ec.europa.eu/qr/961707

**Supplier:** C-E (DEUTSCHLAND)GMBH (Importer) **Website:** 

**Customer care service:** 

Name: EU sales office Website: https://ce.citizen.co.jp/e/

Email: inquiry@ce.citizen.co.jp Phone: +49 (0)69 2992 480

Address:

Stephanstraße 3 60313 Frankfurt am Main

Germany