Product Information Sheet


COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Sources						
Supplier's name or trade mark: Lumina						
Supplier's address: Lumina italia srl, Via Casorezzo 63, 20010 Arluno MI, IT						
Model identifier: Flo						
Type of light so	urce:					
Lighting techno	logy used:	LED	Non-directional or directional:	DLS		
Light source cap-type (or other electric interface)		specific led holder				
Mains or non-mains:		NMLS	Connected light source (CLS):	No		
Colour-tuneable light source:		No	Envelope:	-		
High luminance light source:		No				
Anti-glare shield:		No	Dimmable:	Yes		
Product parameters						
Parameter		Value	Parameter	Value		
General product parameters:						
Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer		6	Energy efficiency class	F		
Useful luminous flux (φuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)		504 in Wide cone (120°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	3 000		
On-mode power (P _{on}), ex- pressed in W		6,0	Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal	0,00		
Networked standby power (P _{net}) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	90		
Outer dimen-	Height	23	Spectral power dis-	See image		
sions without	Width	23	tribution in the	in last page		
separate con- trol gear, light- ing control	Depth	112	range 250 nm to 800 nm, at full-load			

parts and non- lighting con- trol parts, if any (millime- tre)						
Claim of equivalent power ^(a)	-	If yes, equivalent power (W)	-			
		Chromaticity coordi-	0,433			
		nates (x and y)	0,403			
Parameters for directional light sources:						
Peak luminous intensity (cd)	378	Beam angle in degrees, or the range of beam angles that can be set	110			
Parameters for LED and OLED light sources:						
R9 colour rendering index value	80	Survival factor	-			
the lumen maintenance factor	0,90					

(a)'-': not applicable; (b)'-': not applicable;

\cdot Spectrum



Model placed on the Union market from 01/01/2010



EPREL registration number: 965818 https://eprel.ec.europa.eu/qr/965818

Supplier: Lumina Italia srl (Manufacturer) Website: www.lumina.it

Customer care service:

Name: Lumina italia srl Website: www.lumina.it

Email: info@lumina.it Phone: +39 02903752

Address:

Via Casorezzo 63 20010 Arluno

Italy