## **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

sources	ELEGATED REGUI	-AHON (EU) 2019/2	O15 with regard to energ	gy labelling of light		
Supplier's name or trade mark: serien.lighting						
Supplier's address: Entwicklung, Hainhäuser Straße 3-7, 63110 Rodgau, DE						
Model identifier: P-2542 (REEF Wall 2700K CRI>90)						
Type of light source:						
Lighting technology used:		LED	Non-directional or directional:	NDLS		
Light source cap-type		N/A				
(or other electric interface)						
Mains or non-mains:		NMLS	Connected light source (CLS):	No		
Colour-tuneable light source:		No	Envelope:	-		
High luminance light source:		No				
Anti-glare shield:		No	Dimmable:	Only with spe- cific dimmers		
Product parameters						
Parameter		Value	Parameter	Value		
General product parameters:						
Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer		10	Energy efficiency class	G		
Useful luminous flux (φuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)		680 in Wide cone (120°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	2 700		
On-mode power (P <sub>on</sub> ), expressed in W		10,0	Standby power (P <sub>sb</sub> ), expressed in W and rounded to the sec- ond decimal	0,00		
Networked standby power (P <sub>net</sub> ) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	90		
Outer dimen-	Height	22	Spectral power dis-	See image		
sions without	Width	22	tribution in the range 250 nm to 800	in last page		
separate con- trol gear, light-		4	nm, at full-load			

ing control parts and non- lighting con- trol parts, if any (millime- tre)						
Claim of equivalent power <sup>(a)</sup>	-	If yes, equivalent power (W)	-			
		Chromaticity coordi-	0,458			
		nates (x and y)	0,410			
Parameters for LED and OLED light sources:						
R9 colour rendering index value	50	Survival factor	-			
the lumen maintenance factor	-					

(a)'-': not applicable; (b)'-': not applicable;

## Relative Spectral Distribution vs. Wavelength Characteristics

LXK8-PWxx-xxxx at Test Current, Junction Temperature = 85°C




Figure 8. Color spectrum of LXK8-PWxx-xxxx product, integrated measurement

Model placed on the Union market from 01/09/2021



**EPREL registration number:** 972763 https://eprel.ec.europa.eu/qr/972763

**Supplier:** Serien Raumleuchten GmbH (Manufacturer) **Website:** 

**Customer care service:** 

Name: Entwicklung Website:

**Email:** serien@serien.com **Phone:** +49 (6106) 6909 0

Address:

Hainhäuser Straße 3-7

63110 Rodgau Germany