Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mar	k: UMAGE
------------------------------	----------

Supplier's address: UMAGE ApS, Havnegade 29, 1058 Copenhagen, DK

Model identifier: 2406 (light-source)

_	•		
Typa	Ot.	light	source:
IVDE	UI.	HEILL	source.

separate con-

trol gear, light-

control

ing

Depth

Type of light source:				
Lighting technology used:	LED	Non-directional or directional:	NDLS	
Light source cap-type	Custom LED PCB			
(or other electric interface)	24V DC 380mA			
Mains or non-mains:	NMLS	Connected light source (CLS):	No	
Colour-tuneable light source:	No	Envelope:	-	
High luminance light source:	No			
Anti-glare shield:	No	Dimmable:	No	
Product parameters				
Parameter	Value	Parameter	Value	
General product parameters:				
Energy consumption in on-	10	Energy efficiency	E	

Parameter		value	Parameter	Value
		General product p	arameters:	
Energy consur mode (kWh/10 up to the neare	00 h), rounded	10	Energy efficiency class	E
dicating if it refe a sphere (360º)	s flux (фuse), in- ers to the flux in , in a wide cone arrow cone (90º)	1 270 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	3 100
On-mode pow pressed in W	ver (P _{on}), ex-	9,2	Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal	0,00
(P _{net}) for CLS, 6	candby power expressed in W the second dec-	-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	83
Outer dimen-	Height	139	Spectral power dis-	See image
sions without	Width	139	tribution in the	in last page


1

range 250 nm to 800

nm, at full-load

parts and non- lighting con- trol parts, if any (millime- tre)			
Claim of equivalent power ^(a)	-	If yes, equivalent power (W)	-
		Chromaticity coordi-	0,435
		nates (x and y)	0,396
Parameters for LED and OLED light sources:			
R9 colour rendering index value	9	Survival factor	0,90
the lumen maintenance factor	0,96		

(a)'-': not applicable; (b)'-': not applicable;



Model placed on the Union market from 01/11/2021



EPREL registration number: 999889 https://eprel.ec.europa.eu/qr/999889

Supplier: UMAGE ApS (Manufacturer) Website: www.umage.com

Customer care service:

Name: UMAGE ApS Website: www.umage.com

Email: info@umage.com **Phone:** +45 31 39 31 31

Address:

Havnegade 29 1058 Copenhagen

Denmark