Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: Led Labs Lighting

Supplier's address: Product Manager, LED Labs S.A. ul. Zakopiańska 2C 30-418 Kraków

Model identifier: WI-3Y12V4.8NW90HS

Type of light source:

| Lighting technology used: | LED | Non-directional or directional: | NDLS |
|-------------------------------|----------------|---------------------------------|---------------------------------|
| Light source cap-type | Wire (Przewód) | | |
| (or other electric interface) | | | |
| Mains or non-mains: | NMLS | Connected light source (CLS): | No |
| Colour-tuneable light source: | No | Envelope: | - |
| High luminance light source: | No | | |
| Anti-glare shield: | No | Dimmable: | Only with spe- cific dimmers |


Product parameters

Parameter Parameter Value Value **General product parameters:** Energy consumption in on-3 Energy efficiency G mode (kWh/1000 h), rounded class up to the nearest integer Useful luminous flux (duse), in-206 in Correlated colour 4 0 0 0 dicating if it refers to the flux in Sphere (360°) temperature, a sphere (360°), in a wide cone rounded to the near-(120°) or in a narrow cone (90°) est 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set 2,4 0,00 On-mode power (P_{on}), Standby power (P_{sb}), expressed in W expressed in W and rounded to the second decimal Colour rendering in-90 Networked standby power (P_{net}) for CLS, expressed in W dex, rounded to the and rounded to the second decnearest integer, or the range of CRI-valimal ues that can be set 3 Outer dimen-Spectral power dis-See image Height sions without tribution in the in last page Width 10 separate conrange 250 nm to 800 Depth 500 trol gear, lightnm, at full-load

| ing control parts and non- lighting con- trol parts, if any (millime- tre) Claim of equivalent power | .(a) | _ | lf yes, equivalent | | | |
|--|-------|------|---------------------------------------|-------|--|--|
| | | | power (W) Chromaticity coordi- | 0,379 | | |
| | | | nates (x and y) | 0,368 | | |
| Parameters for LED and OLED light sources: | | | | | | |
| R9 colour rendering index | value | 66 | Survival factor | 1,00 | | |
| the lumen maintenance fa | ctor | 0,92 | | | | |
| (2) | | | · · · · · · · · · · · · · · · · · · · | | | |

(a)'-' : not applicable;

(b)_{'-'} : not applicable;



Model placed on the Union market from 16/05/2023



EPREL registration number: 1519594

Supplier: LED Labs S.A. (Importer)

Customer care service:

Name: Product Manager

Email: d.bargiel@led-labs.pl

Address:

LED Labs S.A. ul. Zakopiańska 2C 30-418 Kraków https://eprel.ec.europa.eu/qr/15 19594

Website:

Website:

Phone: 733 377 705