

# Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

**Supplier's name or trade mark:** FRANDSEN

**Supplier's address:** FRANDSEN, Egeskovvej 29, 8700 Horsens, DK

**Model identifier:** Satalite Pendel Small EU

## Type of light source:

Lighting technology used:	LED	Non-directional or directional:	DLS
Light source cap-type (or other electric interface)	Integrated LED		
Mains or non-mains:	NMLS	Connected light source (CLS):	No
Colour-tuneable light source:	No	Envelope:	-
High luminance light source:	No		
Anti-glare shield:	No	Dimmable:	Yes


## Product parameters

Parameter	Value	Parameter	Value
<b>General product parameters:</b>			
Energy consumption in on-mode (kWh/1000 h), rounded up to the nearest integer	8	Energy efficiency class	G
Useful luminous flux ( $\phi_{use}$ ), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)	410 in Wide cone (120°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	3 000
On-mode power ( $P_{on}$ ), expressed in W	8,2	Standby power ( $P_{sb}$ ), expressed in W and rounded to the second decimal	0,05
Networked standby power ( $P_{net}$ ) for CLS, expressed in W and rounded to the second decimal	-	Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set	93
Outer dimensions without separate control gear, lighting control	Height	69	Spectral power distribution in the range 250 nm to 800 nm, at full-load
	Width	1	
	Depth	10	
			See image in last page


parts and non-lighting control parts, if any (millimetre)			
Claim of equivalent power <sup>(a)</sup>	-	If yes, equivalent power (W)	-
		Chromaticity coordinates (x and y)	0,437 0,404
<b>Parameters for directional light sources:</b>			
Peak luminous intensity (cd)	203	Beam angle in degrees, or the range of beam angles that can be set	100
<b>Parameters for LED and OLED light sources:</b>			
R9 colour rendering index value	63	Survival factor	0,96
the lumen maintenance factor	0,96		

(a) : not applicable;

(b) : not applicable;



Model placed on the Union market from 01/12/2023



**EPREL registration number:** 1849997

<https://eprel.ec.europa.eu/qr/1849997>

**Supplier:** NINE UNITED SCANDINAVIA A/S (Manufacturer)

**Website:** [www.nineunited.com](http://www.nineunited.com)

**Customer care service:**

**Name:** FRANDSEN

**Website:** [www.frandsen.com](http://www.frandsen.com)

**Email:** [frandsen@nineunited.com](mailto:frandsen@nineunited.com)

**Phone:** 76581818

**Address:**

Egeskovvej 29  
8700 Horsens  
Denmark